



Datasheet

LL01SP-ENP15L06

Available Distribution



22°×83°

Dimensions

Part Number	Height	L×W
LL01SP-ENP15L06	9.55	1000×16.4


*All dimensions are in millimeters.

LED



CREE
JK2835

Packaging Details (SPQ)



Recommend Applications




Commercial



Indoor

General Information




- Lens Material PMMA 8N
- Operating Temperature -40°C~+70°C
- UL Flammability HB @1.5mm
- UL RTI Elec 90°C @1.5mm
- Light Transmission Rate 400nm~900nm > 90%
- ✓ If necessary, Clean lenses with mild soap, water and soft cloth.
- ⚠ Never use any commercial cleaning solvents on lenses, like alcohol.
- ⚠ Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristic.

Mechanical Specification



*All dimensions are in millimeters.

Lens Dimension



Assembly Instruction

Fixing Method




Photometric Distribution


CREE JK2835

Distribution

22°×83°



Details by LED

Part No	Accessories	LED Package Size	LED
LL01SP-ENP15L06	-	2835	 CREE JK2835

LED	Part No	FWHM	cd / lm	IES
 CREE JK2835	LL01SP-ENP15L06	22°×83°	0.8	

Product Nomenclature

Ledlink Led Type Lens Angle
LL 01 SP- ENP 15 L06
Lens Dot Number Serial Number Type of Material

Ledlink Optics, Inc

Taiwan HQ

15F, No.655, Bannan Rd., Chung-Ho Dist.,
New Taipei City, Taiwan 235

Ledlink Optics (Dongguan) Co., Ltd

Dongguan Factory

No.6, Gaoxin Road, Tiankeng, Hengli Town, Dongguan City,
Guangdong Province, China 523478

Ledlink Optics (Yangzhou) Co., Ltd

Yangzhou Factory

No.180, LinJiang Rd., YangZhou City, Jiangsu Province, China 225009

www.ledlink-optics.com

service@ledlink-optics.com

